The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24889

Stream : Yellow Fork

Applicant : New Albany-Floyd County Consolidated School

Corporation Bill Wiseheart

2813 Grant Line Road

New Albany, IN 47150-2457

Description : A new pedestrian bridge spanning the creek will be built over Yellow Fork. The

new bridge will allow access between Floyd Central High School Athletic fields. The new structure will be a single span prefabricated bridge with span length of 60'. The structure will have an out to out length of 60' and a clear width of approximately 7'. The abutments will be built outside the limits of the channel. No work is proposed within the channel banks. The approach paths will be elevated a maximum of 6" above the existing grade. Some minor grading will be done in the right (north) overbank for a practice field. The grading is all cut with no fill being added, and all grading work is outside the limits of the channel in the existing grass-covered field. A temporary stream crossing will also be removed from the stream. This removal will restore the channel to its orginal shape.

Details of the project are contained in information and plans received at the Division of Water on June 18, 2008, July 22, 2008 and August 29, 2008.

Location : Approximately 400' upstream of the Yellow Fork confluence

near Galena, Greenville Township, Floyd County

SW1/4, NW1/4, SW1/4, Section 14, T 2S, R 5E, Georgetown Quadrangle

Quad Code: 3808538

UTM Coordinates: Downstream 4243549 North, 592962 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 09/04/2008 10:02 AM

Application # : FW-24933

Stream : Bailey Ditch

Applicant : Indiana Group Resources LLC

Sean Wilson

360 West Indiana Avenue, Suite D

Valparaiso, IN 46383-5590

Description : A new lake will be excavated on a tract of land. The excavated material, sand,

will be sold at a per load price. After excation is completed, the lake will be stocked with catfish, walleye, and bluegill. Details of the project are contained in

information and plans received at the Division of Water on July 28, 2008.

Location : Beginning approximately 1300' south and 2700' west of the 205th Avenue and

State Road 41 intersection and extending approximately 726' west and 1320'

south

DOWNSTREAM: near Belshaw, West Creek Township, Lake County SE¼, NE¼, NE¼, Section 8, T 32N, R 9W, Schneider Quadrangle

Quad Code: 4108724

UTM Coordinates: Downstream 4565438 North, 459761 East

UPSTREAM:

UTM Coordinates: Upstream 4565800 North, 459863 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24944

Lake : Lutheran Hills Lake

Applicant : Lutheran Hills Camp

6371 Bear Creek Road Morgantown, IN 46160

Description : The existing emergency spillway will be widened from approximately 20' to 55' to

meet the 100% PMP. Details of the project are contained in information and

plans received at the Division of Water on August 6, 2008.

Location : Approximately 820' north of the Slippery Elm Shoot Road stream crossing

near Trevlac, Jackson Township, Brown County Section 30, T 10N, R 2E, Morgantown Quadrangle

Quad Code: 3908633

UTM Coordinates: Downstream 4347982 North, 556472 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24945

Stream : Eagle Creek

Applicant : Paul Waitt Farms

John Waitt

10571 East County Road 300 North

Sheridan, IN 46069

Description : A stone channel crossing will be constructed by excavating 12' of the streambed

to approximately 1' below existing grade and filling the area with compacted stone. The crossing will consist of 1" of #53 stone and 2" of #73 stone over riprap and geo-textile to return the streambed to existing elevations. Details of the project are contained in information and plans received at the Division of Water

on August 6, 2008.

Location : Approximately 1800' downstream of the county Road 300 North stream crossing

near Sheridan, Marion Township, Boone County

NW1/4, SW1/4, NE1/4, Section 23, T 19N, R 2E, Rosston Quadrangle

Quad Code: 4008613

UTM Coordinates: Downstream 4436917 North, 562272 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24957

Stream : Kankakee River

Applicant : Lake County Parks and Recreation

Joe Eberts

8411 East Lincoln Highway Crown Point, IN 46307-8825

Description : An 18" diameter Shoemaker brand electric water pump capable of drawing

7000-9000 GPM will be installed at the Kankakee River. A maximum of 175 cubic yards of soil will be removed in an area large enough to allow for the proper alignment of the pump shaft into the river side of the levee bank. The area will then be backfilled around the pump shaft. Additionally, riprap will be placed on an approximately 100 cubic foot area, on the back side of the levee, to reduce

erosion when the pump is operating. Details of the project are contained in information and plans received at the Division of Water on August 18, 2008.

Location : The project will take place on the north side levee of the Kankakee River, 200'

east of the boat launch parking lot levee road gate within Grand Kankakee Marsh

County Park

near Hebron, Eagle Creek Township, Lake County

NE1/4, SW1/4, SW1/4, Section 18, T 32N, R 7W, Shelby Quadrangle

Quad Code: 4108723

UTM Coordinates: Downstream 4563228 North, 477174 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 09/04/2008 10:02 AM

Application # : FW-24969

Stream : Pigeon River

Applicant : ACRES, Inc

Shane Perfect 1802 Chapman Rd

Huntertown, IN 46748-9723

Description

: ACRES proposes to construct an access parking lot. The subject parcel of ground is adjacent to the Pigeon River, but construction of the parking lot off State Road 120 will not impact the banks of the river. The facility will consist of a 40' by 25' gravel parking area constructed on compacted fill. The fill will cover approximately the same area. The parking area is 1,200' north of the north bank of the Pigeon River and located at the bottom slope of State Road 120 utilizing the old state highway road bed for access. The fill will have 3:1 sideslopes from the finished grade down to the existing floodplain elevations. The parking area will be constructed finished elevation of the fill. The floodplain appears to follow the base slope for the state road right of way. A state highway permit has been obtained and some fill will be required to meet grade specs in transition to the finish grade of the parking area which will be located just outside of the state road right of way. Approximately 2-3' of fill dirt and gravel base will be required to obtain finished grade on the parking area. No structures or construction will occur above finished gravel parking lot grade. Details of the project are contained in information received electronically at the Division of Water on September 2, 2008 and in plans and information received at the Division of Water on

Location

South side of State Road 120 and north of the Pigeon River just outside the south right of way and 1,200' north to the Pigeon River bank near Howe, Lima Township, LaGrange County

near Howe, Lima Township, LaGrange County Section 27, T 38N, R 9E, Lagrange Quadrangle

Quad Code: 4108564

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24972

Stream : Sugar Creek

Applicant : Richard Reichenbach

Seth W Wuethrich

4980 East State Road 234 Greenfield, IN 46140-9043

Description : We will be constructing a post frame building used for a farm shop in a floodway

on Mr. Reichenbach's property. Per the Hancock Surveyors office we will be in a flood plain. The new building will be 10' from existing barn and at that same elevation. The existing barn is 25-30 yrs old. Details of the project are contained in information received electronically at the Division of Water on September 3,

2008 and in plans and information received at the Division of Water on

Location : 4980 East State Road 234

near Greenfield, Vernon Township, Hancock County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-21117

Lake : Syracuse Lake

Applicant : Martin A Dider

PO Box 1819

Collegedale, TN 37315-1819

Description : A 4' by 150' pedestrian (temporary) pier will be constructed for docking and

accessing Lakes Syracuse and Wawasee by water craft. The proposed pier will be constructed with wood and be supported by 3.5" diameter galvanized steel poles with an attached auger base for convenient lake bottom support and removal if necessary. Details of the project are contained in information and

plans received at the Division of Water on July 28, 2008.

Location : The general location is the SW corner of Syracuse Lake.

near Syracuse, Turkey Creek Township, Kosciusko County NW¼, Section 9, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4586340 North, 606291 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21142

Lake : Kuhn Lake

Applicant : William & Mary Michna

11501 Edgewood Drive Mokena, IL 60448

Description : An existing 40' by 450' area of Kuhn Lake will be restored to its original condition.

Accumulated muck and debris will be removed from the lake bed by dredging. Details of the project are contained in information and plans received at the

Division of Water on August 13, 2008 and August 27, 2008.

Location : Kuhn Lake Channel between B11 & B12 Lanes off SR 13 at the east end of the

lake.

near Pierceton, Tippecanoe Township, Kosciusko County

NW¼, NW¼, SW¼, Section 26, T 33N, R 7E, Pierceton Quadrangle

Quad Code: 4108526

UTM Coordinates: Downstream 4571370 North, 609784 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21156

Lake : Simonton Lake

Applicant : Kay Wuchner

51391 Maplewood Drive Elkhart, IN 46514-6245

Description : An existing wood seawall will be refaced across the 46ft frontage of the

applicant's property on Simonton Lake to prevent deterioration. The refacing will consist of steel sheet piling which will be driven immediately waterward of the existing wall with a height of 2ft above the lake bed. The refacing will tie into existing seawalls to the north and south. The structure will be backfilled with clean

gravel to existing ground elevation. Details of the project are contained in information received electronically at the Division of Water on August 29, 2008

and in plans and information received at the Division of Water on

Location : 51391 Maplewood Drive

at Elkhart, Osolo Township, Elkhart County

NW1/4, Section 16, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21157

Lake : Koontz Lake

Applicant : Stanley Marine Inc

David A Stanley 11229 E. Circle Ave.

Walkerton, IN 46574-9395

Description : A concrete boat ramp will be constructed along 16' of the 225' frontage at Koontz

Lake to provide boat launch and loading. The ramp will extend approximately 27' lakeward of, and will conform to the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on September 2, 2008 and in plans and information received at the

Division of Water on

Location : Located on the Southeast side of Koontz Lake across from 11229 East Circle

Avenue

at Walkerton, Oregon Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21162

Lake : Winona Lake

Applicant : Jon Serbousek

1234 Court Street Winona Lake, In 46580

Description : An existing concrete seawall will be refaced across a portion of the 100' frontage

of the applicant on Winona Lake to prevent deterioration. The refacing will consist of re-inforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 48" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The existing wall has sheet metal and concrete against it all ready. This will be removed and hauled to a upland source, so existing wall can be re-faced. Details of the project are contained in information received electronically at the Division of Water on

September 3, 2008 and in plans and information received at the Division of Water

on

Location : 1234 Court Street

near Winona Lake, Wayne Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21163

Lake : Cedar Lake

Applicant : Bobby Shah

2323 Divac Drive

Schererville, IN 46375-2379

Description : A new seawall will be constructed along the frontage of the applicant on Cedar

Lake to deter shoreline erosion. The wall will be composed of glacial stone and plantings and will be approximately 75' long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on September 3, 2008 and in plans and

information received at the Division of Water on

Location : 13913 Lakeview Point Road

near Cedar Lake, Hanover Township, Lake County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21166

Lake : Sylvan Lake

Applicant : Greg A Lantz

409 North Kerr Island

Rome City, IN 46784-9679

Description : We have a cottage on Sylvan Lake. I would like to place a small pump in the

water during the winter to keep ice from freezing around the pier. The pump hangs from the pier post and is approximately 15' from shore and 2' off the

bottom. The pump makes small ripples in the water keeping it from freezing. This has proven very effective the last couple of seasons. Our shoreline sets back off the main basin in a small cove keeping open water from extending into the path of

snowmobiles. Details of the project are contained in information received electronically at the Division of Water on September 4, 2008 and in plans and

information received at the Division of Water on

Location : 409 North Kerr Island

at Rome City, Noble Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake